## APULUO

PRODUCTS CATALOGUE 2025

APULUO

# GN STEEL PUISE

BL1150-61





It adopts a 150CC single-cylinder fourstroke engine, which is naturally aircooled and starts with electric feet



Whole Motorcycle LED Light



Front disc and rear drum brakes are adopted



It adopts a digital semi-digital hybrid instrument cluster





### Engine

| Engine                   | single-cylinder,four-stroke |
|--------------------------|-----------------------------|
| Engine modl              | 162FMI-H                    |
| Engine displacement(ml)  | 149                         |
| Cooling way              | Air                         |
| Compress ratio (g/KW.h)  | 9.2:1                       |
| Transmission             | Chain                       |
| ldle(r/min)              | 1400+140                    |
| Max power (KW/rlmin)     | 8.7kw/(9000r/m±5%)          |
| Max. Torque (N.m/rlmin)  | 10N.m(7000r/m±5%)           |
| Fuel Consumption(g/kw.h) | 345g/kw.h                   |
| Tank standard            | 10L                         |
| Battery standrd          | 12V7AH                      |
| Starting way             | Electric/kick               |
| Max. Speed(KM/H)         | 90                          |
|                          |                             |

#### Chassis

| Brake         | Front disc rear drum brakes |
|---------------|-----------------------------|
| Dry weight    | 118kg                       |
| Ways of Brake | Hand brake / Foot brake     |
| Front tire    | 2.75-1842P                  |
| Rear tire     | 110/90-16M/C59P             |

#### Dimensions

Rated capacity Rated max. Load(KG)

1955\*795\*1105mm 1300mm 2people 189

JIANGMEN SULONG VEHICLE MANUF



₩ sales6@sulong-motor.com

## APULUO