

PILOT PRINCE RIDE THE DUST.



It adopts a 150CC single-cylinder fourstroke engine, which is naturally aircooled and starts with electric feet





Whole Motorcycle LED Light



Front disc and rear drum brakes are adopted



It adopts a digital semi-digital hybrid instrument cluster

AP150-5E



Engine

Engine single-cylinder,four-stroke

Engine modl 162FMJ

Engine displacement(ml) 149

Cooling way

Compress ratio (g/KW.h) 9.2:1

Cylinder diameter Piston stroke(mm) ժ 62*49.5

Idle(r/min) 1400+140

Max power (KW/rlmin) 8.5/8500±100

10.5/7000±100 Max. Torque (N.m/rlmin)

Fuel Consumption(g/kw.h) <354

Lubricating system Rorce-feed and splash lubrication

Gear Non-circular Five Gear

Starting way Electric/kick

Max. Speed(KM/H) 150

Chassis

Brake

Brake disc/hub operating diameter

Ways of Brake

Front tire 2.75-18

Rear tire

110/90-16

Dimensions

Dimension(mm) 2000*825*1110

Wheelbase(mm) 1300

Curb Weight(KG) 113

Rated max. Load(KG) 150

contents involved in this detail page are for reference only. Please refer to the actual vehicle

🗜 Apultic Motos 🔝 Apuluo Motos

🕝 Apuluo Motos 💛 sales6@sulong-motor.com



Front disc rear drum brakes

Front \$110/Rear \$110

Hand brake / Foot brake