

APULUO

PRODUCTS CATALOGUE 2025



**ES3
PULSE. REVVED.**



ES3


READY TO GO.



Powerful 200CC / 250CC Engine



Whole Motorcycle LED Light



CBS Combined Braking System



LED Dash Monitor

AP250-12

ES3

AP250-12



Engine

Engine	Single-cylinder, Four-stroke
Engine model	FE250
Engine displacement(ml)	249.4
Cooling way	Oil cooling
Compress ratio (g/KW.h)	9.6: 1
Cylinder diameter Piston stroke(mm)	φ 71*63
Idle (r/min)	1400±140
Max power (KW/r/min)	18/7500±100
Max. Torque (N.m/r/min)	23/6000±100
Lowest fuel consumption (g/KW.h)	< 354
Lubricating system	Stress Splash
Gear	International five gear/Others
Starting way	Electric / kick
Max. Speed(KM/H)	115

Chassis

Brake	IFront disc/Rear disc
Brake disc/hub operating diameter	Front φ 276/Rear φ 220
Ways of Brake	Hand brake / Foot brake
Front tire	110/70-17
Rear tire	140/60-17

Dimensions

Dimension(mm)	2020*760*1080
Wheelbase(mm)	1340
Curb Weight(KG)	139
Rated max. Load(KG)	150

*All contents involved in this detail page are for reference only. Please refer to the actual vehicle

JIANGMEN SULONG VEHICLE MANUFACTURING CO., LTD.

Area A Sulong Industrial Area, Lile Street, Jianghai District, Jiangmen City,
Guangdong Province, China

 Apuluo Motos

 Apuluo Motos

 Apuluo Motos

 sales6@sulong-motor.com

APULUO
www.sulong-motor.com